



NATO TYPE CAMLOCK FITTINGS



July 2008

All dimensions are nominal. Products may vary slightly to those pictured

PRICING FOR THIS SECTION FOUND IN THE INDUSTRIAL PRODUCTS PRICE LIST

Customer Service - Phone: 1300 349 320 Fax: 1300 349 321

www.fhshose.com.au

MELBOURNE - SYDNEY - NEWCASTLE





CAMLOCKS

INDEX

Description	Page
Type A camlocks	152
Type B camlocks	152
Type C camlocks	153
Type D camlocks	153
Type E camlocks	154
Type F camlocks	154
Type DC camlocks	155
Type DP camlocks	155
Reducing type A camlocks	156
Type AA camlocks	156
Type A sockets weld	156
Reducing type B camlocks	156
Reducing type C camlocks	156
Type BC (Bent hose tail)	157
Reducing type D camlocks	157
Reducing type F camlocks	157
Reducing type E camlocks	157
Type AC - Male x Female camlocks	157
Flanged camlocks	158
Lockable Dust Caps	158
Spare parts	159

All dimensions are nominal. Products may vary slightly to those pictured

PRICING FOR THIS SECTION FOUND IN THE INDUSTRIAL PRODUCTS PRICE LIST

Customer Service - Phone: 1300 349 320 Fax: 1300 349 321

www.fhshose.com.au

MELBOURNE - SYDNEY - NEWCASTLE





CAMLOCK INFORMATION

Working Pressures of camlocks

SIZE RANGE	ALUMINIUM , STAINLESS, BRONZE, BRASS	POLY PROP, NYGLASS
15mm	150psi	125psi
20mm–50mm	250psi	125psi
65mm	150psi	100psi
75mm	125psi	75psi
100mm	100psi	75psi
125 & 150mm	75psi	N/A

Material Descriptions

Material	Typical Application	DESCRIPTION
ALUMINIUM DIECAST	General Use / Ag / Industrial	Manufactured using the die-casting method. This is the most common / economical of the Aluminum range used for general Air / Water applications
ALUMINIUM MIL SPEC	Petro-chemical industry / Military / Heavy Duty Industrial applications	Manufactured by the Gravity cast method. Fully weldable. Heat treated to increase strength. The possibility of camlocks `deforming or going oval' when dropped regularly is greatly reduced.
BRASS	Offshore / Coal Mining / Fire Brigade	Manufactured using Die Cast method
POLY PROPYLENE (BLACK)	AG Spraying Equipment / Chemical Industry	Used extensively throughout the Chemical and Agricultural sector.
NY-GLASS (YELLOW)	Ag Spraying Equipment / Chemical Industry	Glass Filled Nylon. Alternative to Poly Propylene.
STAINLESS STEEL 316	Food Industry / Offshore / Chemical Industry	Sand Cast Stainless Steel. Fully Weldable.
AUTOLOCK S/S 316	Transport / Chemical Industry	As per S/S Camlocks. These have locking arms that eliminate the risk of the arms opening during times of vibration or when being dragged. Easy to Open and close.

All dimensions are nominal. Products may vary slightly to those pictured

PRICING FOR THIS SECTION FOUND IN THE INDUSTRIAL PRODUCTS PRICE LIST

Customer Service - Phone: 1300 349 320 Fax: 1300 349 321

www.fhshose.com.au

MELBOURNE - SYDNEY - NEWCASTLE





TYPE A - MALE CAMLOCK x FEMALE BSP

SIZE MM	ALUMINIUM DIE CAST	ALUMINIUM MIL SPEC	BRASS	POLY PROP	NYGLASS	STAINLESS STEEL	STAINLESS AUTOLOCK
12	C-AC-012A	-	C-BR-012A	-	-	C-SS-012A	-
12X20**	-	-	-	C-PP-017A	C-NG-017A	-	-
20	C-AC-020A	C-AL-020A	C-BR-020A	C-PP-020A	C-NG-020A	C-SS-020A	-
25	C-AC-025A	C-AL-025A	C-BR-025A	C-PP-025A	C-NG-025A	C-SS-025A	-
32	C-AC-032A	C-AL-032A	C-BR-032A	-	-	C-SS-032A	-
32X38**	-	-	-	C-PP-035A	C-NG-035A	-	-
38	C-AC-038A	C-AL-038A	C-BR-038A	C-PP-038A	C-NG-038A	C-SS-038A	-
50	C-AC-050A	C-AL-050A	C-BR-050A	C-PP-050A	C-NG-050A	C-SS-050A	-
63	C-AC-063A	C-AL-063A	C-BR-063A	C-PP-063A	-	C-SS-063A	-
76	C-AC-075A	C-AL-075A	C-BR-075A	C-PP-075A	C-NG-075A	C-SS-075A	-
100	C-AC-100A	C-AL-100A	C-BR-100A	C-PP-100A	-	C-SS-100A	-
125	C-AC-125A	-	-	-	-	C-SS-125A	-
150	C-AC-150A	C-AL-150A	C-BR-150A	-	-	C-SS-150A	-

** BSP x Camlock Size. i.e. 1/2 BSP x 20mm Camlock

**** FOR NPT thread add an "N" to the end of the part number



TYPE B - FEMALE CAMLOCK x MALE BSP



SIZE MM	ALUMINIUM DIE CAST	ALUMINIUM MIL SPEC	BRASS	POLY PROP	NYGLASS	STAINLESS STEEL	STAINLESS AUTOLOCK*
12	C-AC-012B	-	C-BR-012B	-	-	C-SS-012B	-
12X20**	-	-	-	C-PP-017B	C-NG-017B	-	-
20	C-AC-020B	C-AL-020B	C-BR-020B	C-PP-020B	C-NG-020B	C-SS-020B	CT-ATA-020B
25	C-AC-025B	C-AL-025B	C-BR-025B	C-PP-025B	C-NG-025B	C-SS-025B	CT-ATA-025B
32	C-AC-032B	C-AL-032B	C-BR-032B	-	-	C-SS-032B	CT-ATA-032B
32X38**	-	-	-	C-PP-035B	C-NG-035B	-	-
38	C-AC-038B	C-AL-038B	C-BR-038B	C-PP-038B	C-NG-038B	C-SS-038B	CT-ATA-038B
50	C-AC-050B	C-AL-050B	C-BR-050B	C-PP-050B	C-NG-050B	C-SS-050B	CT-ATA-050B
63	C-AC-063B	C-AL-063B	C-BR-063B	C-PP-063B	-	C-SS-063B	CT-ATA-063B
76	C-AC-075B	C-AL-075B	C-BR-075B	C-PP-075B	C-NG-075B	C-SS-075B	CT-ATA-075B
100	C-AC-100B	C-AL-100B	C-BR-100B	C-PP-100B	-	C-SS-100B	CT-ATA-100B
125	C-AC-125B	-	-	-	-	C-SS-125B	-
150	C-AC-150B	C-AL-150B	C-BR-150B	-	-	C-SS-150B	-

** BSP x Camlock Size. i.e. 1/2 BSP x 20mm Camlock Body

*CAMLOCKS ARMS CAN OPEN WHEN BEING DRAGGED OR UNDER EXTREME VIBRATION. TO OVERCOME THIS WE RECOMMEND THE USE OF AUTOLOCKS

**** FOR NPT thread add an "N" to the end of the part number

All dimensions are nominal.

Products may vary slightly to those pictured

PRICING FOR THIS SECTION FOUND IN THE INDUSTRIAL PRODUCTS PRICE LIST

Customer Service - Phone: 1300 349 320 Fax: 1300 349 321

www.fhshose.com.au

MELBOURNE - SYDNEY - NEWCASTLE





TYPE C - FEMALE CAMLOCK x HOSE TAIL



SIZE MM	ALUMINIUM DIE CAST	ALUMINIUM MIL SPEC	BRASS	POLY PROP	NYGLASS	STAINLESS STEEL	STAINLESS AUTOLOCK
12	C-AC-012C	-	C-BR-012C	-	-	C-SS-012C	-
12X20**	-	-	-	C-PP-017C	C-NG-017C	-	-
20	C-AC-020C	C-AL-020C	C-BR-020C	C-PP-020C	C-NG-020C	C-SS-020C	CT-ATA-020C
25	C-AC-025C	C-AL-025C	C-BR-025C	C-PP-025C	C-NG-025C	C-SS-025C	CT-ATA-025C
32	C-AC-032C	C-AL-032C	C-BR-032C	-	-	C-SS-032C	CT-ATA-032C
32X38**	-	-	-	C-PP-035C	C-NG-035C	-	-
38	C-AC-038C	C-AL-038C	C-BR-038C	C-PP-038C	C-NG-038C	C-SS-038C	CT-ATA-038C
50	C-AC-050C	C-AL-050C	C-BR-050C	C-PP-050C	C-NG-050C	C-SS-050C	CT-ATA-050C
63	C-AC-063C	C-AL-063C	C-BR-063C	C-PP-063C	-	C-SS-063C	CT-ATA-063C
76	C-AC-075C	C-AL-075C	C-BR-075C	C-PP-075C	C-NG-075C	C-SS-075C	CT-ATA-075C
100	C-AC-100C	C-AL-100C	C-BR-100C	C-PP-100C	-	C-SS-100C	CT-ATA-100C
125	C-AC-125C	-	-	-	-	C-SS-125C	-
150	C-AC-150C	C-AL-150C	C-BR-150C	-	-	C-SS-150C	-

** BSP x Camlock Size.. i.e. 1/2 BSP x 20mm Camlock Body

CAMLOCKS ARMS CAN OPEN WHEN BEING DRAGGED OR UNDER EXTREME VIBRATION. TO OVERCOME THIS WE RECOMMEND THE USE OF AUTOLOCKS



TYPE D - FEMALE CAMLOCK x FEMALE BSP

SIZE MM	ALUMINIUM DIE CAST	ALUMINIUM MIL SPEC	BRASS	POLY PROP	NYGLASS	STAINLESS STEEL	STAINLESS AUTOLOCK
12	C-AC-012D	-	C-BR-012D	-	-	C-SS-012D	-
12X20**	-	-	-	C-PP-017D	C-NG-017D	-	-
20	C-AC-020D	C-AL-020D	C-BR-020D	C-PP-020D	C-NG-020D	C-SS-020D	CT-ATA-020D
25	C-AC-025D	C-AL-025D	C-BR-025D	C-PP-025D	C-NG-025D	C-SS-025D	CT-ATA-025D
32	C-AC-032D	C-AL-032D	C-BR-032D	-	-	C-SS-032D	CT-ATA-032D
32X38**	-	-	-	C-PP-035D	C-NG-035D	-	-
38	C-AC-038D	C-AL-038D	C-BR-038D	C-PP-038D	C-NG-038D	C-SS-038D	CT-ATA-038D
50	C-AC-050D	C-AL-050D	C-BR-050D	C-PP-050D	C-NG-050D	C-SS-050D	CT-ATA-050D
63	C-AC-063D	C-AL-063D	C-BR-063D	C-PP-063D	-	C-SS-063D	CT-ATA-063D
76	C-AC-075D	C-AL-075D	C-BR-075D	C-PP-075D	C-NG-075D	C-SS-075D	CT-ATA-075D
100	C-AC-100D	C-AL-100D	C-BR-100D	C-PP-100D	-	C-SS-100D	CT-ATA-100D
125	C-AC-125D	-	-	-	-	C-SS-125D	-
150	C-AC-150D	C-AL-150D	C-BR-150D	-	-	C-SS-150D	-

** BSP x Camlock Size.. i.e. 1/2 BSP x 20mm Camlock Body

CAMLOCKS ARMS CAN OPEN WHEN BEING DRAGGED OR UNDER EXTREME VIBRATION. TO OVERCOME THIS WE RECOMMEND THE USE OF AUTOLOCKS

**** FOR NPT thread add an "N" to the end of the part number

All dimensions are nominal.

Products may vary slightly to those pictured

PRICING FOR THIS SECTION FOUND IN THE INDUSTRIAL PRODUCTS PRICE LIST

Customer Service - Phone: 1300 349 320 Fax: 1300 349 321

www.fhshose.com.au

MELBOURNE - SYDNEY - NEWCASTLE





TYPE E - MALE CAMLOCK x HOSE TAIL

SIZE MM	ALUMINIUM DIE CAST	ALUMINIUM MIL SPEC	BRASS	POLY PROP	NYGLASS	STAINLESS STEEL	STAINLESS AUTOLOCK
12	C-AC-012E	-	C-BR-012E	-	-	C-SS-012E	-
12X20**	-	-	-	C-PP-017E	C-NG-017E	-	-
20	C-AC-020E	C-AL-020E	C-BR-020E	C-PP-020E	C-NG-020E	C-SS-020E	-
25	C-AC-025E	C-AL-025E	C-BR-025E	C-PP-025E	C-NG-025E	C-SS-025E	-
32	C-AC-032E	C-AL-032E	C-BR-032E	-	-	C-SS-032E	-
32X38**	-	-	-	C-PP-035E	C-NG-035E	-	-
38	C-AC-038E	C-AL-038E	C-BR-038E	C-PP-038E	C-NG-038E	C-SS-038E	-
50	C-AC-050E	C-AL-050E	C-BR-050E	C-PP-050E	C-NG-050E	C-SS-050E	-
63	C-AC-063E	C-AL-063E	C-BR-063E	C-PP-063E	-	C-SS-063E	-
76	C-AC-075E	C-AL-075E	C-BR-075E	C-PP-075E	C-NG-075E	C-SS-075E	-
100	C-AC-100E	C-AL-100E	C-BR-100E	C-PP-100E	-	C-SS-100E	-
125	C-AC-125E	-	-	-	-	C-SS-125E	-
150	C-AC-150E	C-AL-150E	C-BR-150E	-	-	C-SS-150E	-

** BSP x Camlock Size.. i.e. 1/2 BSP x 20mm Camlock Body



TYPE F - MALE CAMLOCK x MALE BSP

SIZE MM	ALUMINIUM DIE CAST	ALUMINIUM MIL SPEC	BRASS	POLY PROP	NYGLASS	STAINLESS STEEL	STAINLESS AUTOLOCK
12	C-AC-012CF	-	C-BR-012F	-	-	C-SS-012F	-
12X20**	-	-	-	C-PP-017F	C-NG-017F	-	-
20	C-AC-020F	C-AL-020F	C-BR-020F	C-PP-020F	C-NG-020F	C-SS-020F	-
25	C-AC-025F	C-AL-025F	C-BR-025F	C-PP-025F	C-NG-025F	C-SS-025F	-
32	C-AC-032F	C-AL-032F	C-BR-032F	-	-	C-SS-032F	-
32X38**	-	-	-	C-PP-035F	C-NG-035F	-	-
38	C-AC-038F	C-AL-038F	C-BR-038F	C-PP-038F	C-NG-038F	C-SS-038F	-
50	C-AC-050F	C-AL-050F	C-BR-050F	C-PP-050F	C-NG-050F	C-SS-050F	-
63	C-AC-063F	C-AL-063F	C-BR-063F	C-PP-063F	-	C-SS-063F	-
76	C-AC-075F	C-AL-075F	C-BR-075F	C-PP-075F	C-NG-075F	C-SS-075F	-
100	C-AC-100F	C-AL-100F	C-BR-100F	C-PP-100F	-	C-SS-100F	-
125	C-AC-125F	-	-	-	-	C-SS-125F	-
150	C-AC-150F	C-AL-150F	C-BR-150F	-	-	C-SS-150F	-

** BSP x Camlock Size.. i.e. 1/2 BSP x 20mm Camlock Body

**** FOR NPT thread add an "N" to the end of the part number

All dimensions are nominal. Products may vary slightly to those pictured

PRICING FOR THIS SECTION FOUND IN THE INDUSTRIAL PRODUCTS PRICE LIST

Customer Service - Phone: 1300 349 320 Fax: 1300 349 321

www.fhshose.com.au

MELBOURNE - SYDNEY - NEWCASTLE





TYPE DC - DUST CAP

SIZE MM	ALUMINIUM DIE CAST	ALUMINIUM MIL SPEC	BRASS	POLY PROP	NYGLASS	STAINLESS STEEL	STAINLESS AUTOLOCK
12	C-AC-012DC	-	C-BR-012DC	-	-	C-SS-012DC	-
20	C-AC-020DC	C-AL-020DC	C-BR-020DC	C-PP-020DC	C-NG-020DC	C-SS-020DC	CT-ATA-020DC
25	C-AC-025DC	C-AL-025DC	C-BR-025DC	C-PP-025DC	C-NG-025DC	C-SS-025DC	CT-ATA-025DC
32	C-AC-032DC	C-AL-032DC	C-BR-032DC	-	-	C-SS-032DC	CT-ATA-032DC
38	C-AC-038DC	C-AL-038DC	C-BR-038DC	C-PP-038DC	C-NG-038DC	C-SS-038DC	CT-ATA-038DC
50	C-AC-050DC	C-AL-050DC	C-BR-050DC	C-PP-050DC	C-NG-050DC	C-SS-050DC	CT-ATA-050DC
63	C-AC-063DC	C-AL-063DC	C-BR-063DC	C-PP-063DC	-	C-SS-063DC	CT-ATA-063DC
76	C-AC-075DC	C-AL-075DC	C-BR-075DC	C-PP-075DC	C-NG-075DC	C-SS-075DC	CT-ATA-075DC
100	C-AC-100DC	C-AL-100DC	C-BR-100DC	C-PP-100DC	-	C-SS-100DC	CT-ATA-100DC
125	C-AC-125DC	-	-	-	-	C-SS-125DC	-
150	C-AC-150DC	C-AL-150DC	C-BR-150DC	-	-	C-SS-150DC	-

** BSP x Camlock Size.. i.e. 1/2 BSP x 20mm Camlock Body

CAMLOCKS ARMS CAN OPEN WHEN BEING DRAGGED OR UNDER EXTREME VIBRATION. TO OVERCOME THIS WE RECOMMEND THE USE OF AUTOLOCKS



TYPE DP - DUST PLUG

SIZE MM	ALUMINIUM DIE CAST	ALUMINIUM MIL SPEC	BRASS	POLY PROP	NYGLASS	STAINLESS STEEL	STAINLESS AUTOLOCK
12	C-AC-012DP	-	C-BR-012DP	-	-	C-SS-012DP	-
20	C-AC-020DP	C-AL-020DP	C-BR-020DP	C-PP-020DP	C-NG-020DP	C-SS-020DP	-
25	C-AC-025DP	C-AL-025DP	C-BR-025DP	C-PP-025DP	C-NG-025DP	C-SS-025DP	-
32	C-AC-032DP	C-AL-032DP	C-BR-032DP	C-PP-032DP	C-NG-032DP	C-SS-032DP	-
38	C-AC-038DP	C-AL-038DP	C-BR-038DP	C-PP-038DP	C-NG-038DP	C-SS-038DP	-
50	C-AC-050DP	C-AL-050DP	C-BR-050DP	C-PP-050DP	C-NG-050DP	C-SS-050DP	-
63	C-AC-063DP	C-AL-063DP	C-BR-063DP	C-PP-063DP	-	C-SS-063DP	-
76	C-AC-075DP	C-AL-075DP	C-BR-075DP	C-PP-075DP	C-NG-075DP	C-SS-075DP	-
100	C-AC-100DP	C-AL-100DP	C-BR-100DP	C-PP-100DP	-	C-SS-100DP	-
125	C-AC-125DP	-	-	-	-	C-SS-125DP	-
150	C-AC-150DP	C-AL-150DP	C-BR-150DP	-	-	C-SS-150DP	-

** BSP x Camlock Size.. i.e. 1/2 BSP x 20mm Camlock Body

All dimensions are nominal. Products may vary slightly to those pictured

PRICING FOR THIS SECTION FOUND IN THE INDUSTRIAL PRODUCTS PRICE LIST

Customer Service - Phone: 1300 349 320 Fax: 1300 349 321

www.fhshose.com.au

MELBOURNE - SYDNEY - NEWCASTLE





SPECIALITY CAMLOCKS



**TYPE A —
REDUCING
THREAD**

SIZE CAM X BSP MM	ALUMINIUM
50 X 32	C-AL-050-032A
50 X 38	C-AL-050-038A
63 X 25	C-AL-063-025A
63 X 38	C-AL-063-038A
63 X 50	C-AL-063-050A
63 X 75	C-AL-063-075A
75 X 50	C-AL-075-050A
75 X 63	C-AL-075-063A
100 X 50	C-AL-100-050A
100 X 75	C-AL-100-075A



**TYPE AW —
MALE CAMLOCK
X WELD SOCKET
(suit grain silos etc)**

SIZE CAMLOCK MALE X PIPE MM	ALUMINIUM
NATO STD 100MM x 101.6mm	C-AL-100AW
AUST STD 100MM x 101.6mm	C-AS-100AW



**TYPE B —
REDUCING
THREAD**

SIZE CAM X BSP MM	ALUMINIUM
50 X 38	C-AL-050-038B
75 X 38	C-AL-075-038B
75 X 50	C-AL-075-050B
75 X 63	C-AL-075-063B



**TYPE AA —
MALE / MALE**

SIZE MM	ALUMINIUM	BRASS	STAINLESS STEEL
25	C-AL-025AA	C-BR-025AA	C-SS-025AA
32	C-AL-032AA	C-BR-032AA	C-SS-032AA
38	C-AL-038AA	C-BR-038AA	C-SS-038AA
50	C-AL-050AA	C-BR-050AA	C-SS-050AA
63 X 50	C-AL-063-050AA	-	-
63	C-AL-063AA	C-BR-063AA	C-SS-063AA
76 X 50	C-AL-075-050AA	-	-
76 X 63	C-AL-075-063AA	-	-
76	C-AL-075AA	C-BR-075AA	C-SS-075AA
100 X 76	C-AL-100-075AA	-	-
100	C-AL-100AA	C-BR-100AA	C-SS-100AA
150	C-AL-150AA	C-BR-150AA	C-SS-150AA



**TYPE C —
REDUCING
HOSETAIL**

SIZE CAM X HOSE MM	ALUMINIUM
50 X 38	C-AL-050-038C
63 X 50	C-AC-063-050C
75 X 50	C-AL-075-050C
75 X 63	C-AL-075-063C
100 X 75	C-AL-100-075C
100 X 112	C-AL-100-115C

All dimensions are nominal. Products may vary slightly to those pictured

PRICING FOR THIS SECTION FOUND IN THE INDUSTRIAL PRODUCTS PRICE LIST

Customer Service - Phone: 1300 349 320 Fax: 1300 349 321

www.fhshose.com.au

MELBOURNE - SYDNEY - NEWCASTLE




**TYPE BC68 & BC90—
68 & 90 DEG BENT
HOSETAIL**

SIZE MM	ALUM MIL SPEC 68 DEG HOSE TAIL	ALUM MIL SPEC 90 DEG HOSE TAIL
50	C-AL-050BC-68	C-AL-050BC-90
63	C-AL-063BC-68	C-AL-063BC-90
75	C-AL-075BC-68	C-AL-075BC-90
100	C-AL-100BC-68	C-AL-100BC-90
150	C-AL-150BC-68	C-AL-150BC-90


**TYPE F —
REDUCING
THREAD**

SIZE CAM X BSP MM	ALUMINIUM
25 X 12	C-AL-025-012F
38 X 50	C-AL-038-050F
50 X 38	C-AL-050-038F
63 X 25	C-AL-063-025F
63 X 32	C-AL-063-032F
63 X 38	C-AL-063-038F
63 X 50	C-AL-063-050F
76 X 38	C-AL-075-038F
76 X 50	C-AL-075-050F
76 X 63	C-AL-075-063F
100 X 75	C-AL-100-075F


**TYPE D —
REDUCING
THREAD**

SIZE CAM X BSP MM	ALUMINIUM
50 X 38	C-AL-050-038D
63 X 50	C-AL-063-050D
75 X 63	C-AL-075-063D


**TYPE AC —
MALE X FEMALE
CAMLOCK**

SIZE MALE CAM	SIZE FEM CAM	ALUMINIUM MIL SPEC
50	63	C-AL-050-063AC
50	75	C-AL-050-075AC
63	75	C-AL-063-075AC
63	100	C-AL-063-100AC
75	50	C-AL-075-050AC
75	100	C-AL-075-100AC
100	75	C-AL-100-075AC


**TYPE E —
REDUCING
HOSETAIL**

SIZE CAM X HOSE MM	ALUMINIUM
50 X 38	C-AL-050-038E
75 X 50	C-AL-075-050E
75 X 63	C-AL-075-063E
100 X 75	C-AL-100-075E

All dimensions are nominal. Products may vary slightly to those pictured

PRICING FOR THIS SECTION FOUND IN THE INDUSTRIAL PRODUCTS PRICE LIST

Customer Service - Phone: 1300 349 320 Fax: 1300 349 321

www.fhshose.com.au

MELBOURNE - SYDNEY - NEWCASTLE





**TYPE LA —
MALE CAMLOCK
X UNDRILLED FLANGE**

SIZE MALE X FLANGE MM	ALUMINIUM MIL SPEC
50	C-AL-050LA
63	C-AL-063LA
76	C-AL-075LA
100	C-AL-100LA
150	C-AL-150LA



**TYPE LC —
FEMALE CAMLOCK
X UNDRILLED FLANGE**

SIZE FEMALE X FLANGE MM	ALUMINIUM MIL SPEC
50	C-AL-050LC
63	C-AL-063LC
76	C-AL-075LC
100	C-AL-100LC
150	C-AL-150LC



**TYPE TTS —
MALE BSP
X HOSETAIL**

SIZE MM	ALUMINIUM MIL SPEC
25	C-AL-025TTS
38	C-AL-038TTS
50	C-AL-050TTS
63	C-AL-063TTS
76	C-AL-075TTS
100	C-AL-100TTS



**TYPE DCL —
LOCKING DUST CAP**

SIZE MM	ALUMINIUM MIL SPEC
38	C-AL-038DCL
50	C-AL-050DCL
63	C-AL-063DCL
76	C-AL-075DCL
100	C-AL-100DCL

We have access to many configurations of camlocks and adaptors.

Please enquire if you can't see what you are looking for.

All dimensions are nominal. Products may vary slightly to those pictured

PRICING FOR THIS SECTION FOUND IN THE INDUSTRIAL PRODUCTS PRICE LIST

Customer Service - Phone: 1300 349 320 Fax: 1300 349 321

www.fhshose.com.au

MELBOURNE - SYDNEY - NEWCASTLE





TYPE HJ —
ALUM HOSE JOINER

CALL FOR PRICING ON:
Scroll Tails,
Vapour Locks
Standpipes
V Tail Anti Static & Soft Tail
NPT Threads

SIZE MM	ALUMINIUM MIL SPEC
25	C-AL-025HJ
32	C-AL-032HJ
38	C-AL-038HJ
50	C-AL-050HJ
63	C-AL-063HJ
76	C-AL-075HJ
100	C-AL-100HJ
150	C-AL-150HJ



CAMLOCK SPARE PARTS

SEALS / ARMS / PINS



SIZE MM	SEAL BUNA (NITRILE)	SEAL EPDM	SEAL VITON	SEAL TEFLON	S/S PIN FOR ARM	ARMS BRASS	ARMS S/S	LOCKING ARMS**
12	C-BUN-012	-	-	-	C-CAP-020	-	C-CAS-020	-
12X20	C-BUN-020	C-EPD-020	C-VIT-020	C-TEF-020	C-CAP-020	-	C-CAS-020	C-CAL-020
20	C-BUN-020	C-EPD-020	C-VIT-020	C-TEF-020	C-CAP-020	-	C-CAS-020	C-CAL-020
25	C-BUN-025	C-EPD-025	C-VIT-025	C-TEF-025	C-CAP-025	C-CAB-025	C-CAS-025	C-CAL-025
32	C-BUN-032	C-EPD-032	C-VIT-032	C-TEF-032	C-CAP-063	C-CAB-063	C-CAS-063	C-CAL-063
32X38	C-BUN-038	C-EPD-038	C-VIT-038	C-TEF-038	C-CAP-063	C-CAB-063	C-CAS-063	C-CAL-063
38	C-BUN-038	C-EPD-038	C-VIT-038	C-TEF-038	C-CAP-063	C-CAB-063	C-CAS-063	C-CAL-063
50	C-BUN-050	C-EPD-050	C-VIT-050	C-TEF-050	C-CAP-063	C-CAB-063	C-CAS-063	C-CAL-063
63	C-BUN-063	C-EPD-063	C-VIT-063	C-TEF-063	C-CAP-063	C-CAB-063	C-CAS-063	C-CAL-063
76	C-BUN-075	C-EPD-075	C-VIT-075	C-TEF-075	C-CAP-100	C-CAB-100	C-CAS-100	C-CAL-100
100	C-BUN-100	C-EPD-100	C-VIT-100	C-TEF-100	C-CAP-100	C-CAB-100	C-CAS-100	C-CAL-100
150	C-BUN-150	-	-	-	C-CAP-150	-	C-CAS-150	-

** Only suitable for use with the Mil Spec Camlocks (C-AL)

All dimensions are nominal. Products may vary slightly to those pictured

PRICING FOR THIS SECTION FOUND IN THE INDUSTRIAL PRODUCTS PRICE LIST

Customer Service - Phone: 1300 349 320 Fax: 1300 349 321

www.fhshose.com.au

MELBOURNE - SYDNEY - NEWCASTLE



Abrasives
Airbrake Fittings
Airline Couplings
Automotive Belts
Ball Valves
Bauer Fittings
Band-It
Brass Fittings
Camlock Fittings
Chain & Sprockets
Check Valves
Claw Couplers
Composite Hose
Couplings
Ducting
Filter Regulators
Fire Fittings
Gate Valves
Glue
Hose Assemblies
Hose Fittings
Hose Reels
Hydraulic Adaptors
Hydraulic Couplings
Hydraulic Hose
Industrial Belts
Layflat Hose
Nozzles
Nylon Tube
Pipe Fittings
Pneumatics
Poly Fittings
Polyurethane Tube
Pool Hose
Pressure Gauges
PTFE Fittings
Push-In Fittings
PVC Hose
Quick Couplings
Rubber Hose
Sheet Rubber
Silicone Hose
Stainless Steel Fittings
Stainless Steel Hose
Strainers
Steam Fittings
Super Clamps
Tank Fittings
Tubing
Wormdrives



FLUID HANDLING SOLUTIONS

LOCATIONS



BRAESIDE
Unit 5 / 200-208
Boundary Rd
Braeside VIC. 3195

BAYSWATER
Unit 1 / 477
Dorset Rd
Bayswater VIC. 3153

CUSTOMER SERVICE

P: 1300 349 320

F: 1300 349 321



SYDNEY
25 Clyde St
Rydalmere NSW. 2116

NEWCASTLE
Unit 2 / 34
Portside Crescent
Maryville NSW. 2293